



VOLTAGE	230V 50Hz
CONTROL VOLTAGE	I2 VOLT
SUCTION VOLUME	300M ³ /h
SUCTION VACUUM	210 mbar
SUPPLY AIR PRESSURE	MAX 8 bar
VACUUM TURBINE	I.3 kW + I.3 kW
NOISE	68 dBa
SIZES	450 X 450 X 800 mm
WEIGHT	47 Kg

ST2-C

INDUSTRIAL VACUUM CLEANER EQUIPPED WITH WHEELS. SOLID AND COMPACT SHAPE, MANUAL SUCTION CONTROL. ELECTRIC AND PNEUMATIC AUTOMATISMS. RESERVE TANK FOR CLEANING THE FILTERS. QUIET, TRANSPORTABLE, ONE MOTOR. EQUIPPED WITH A HOSE OF mt. 5



ST2-C

To effectively clean the filters mounted on the dust extractor, a mechanical shaking cleaning system has been developed. The electronic board controls automatically a pneumatic piston which, by shaking the filter intensely, causes, to the dust

> deposited filter, to fall into the powder container, thus allowing the filter to run optimally.

> Piston cleaning system is recommended for any type of application, because it improves significantly the filter cleaning compared to the "vibrating motor" or "air jet" versions.

To clean the filter with the vertical piston becomes mandatory when it comes to extract powder, even fine, which can quickly clog the filter and cause the engine fail.

The main advantage of this cleaning system is the greater efficiency of the filter shaking with a piston. A further advantage is the automatic cleaning, which eliminates the problem of remembrering to clean it manually, so that the operator will not have this commitment.

Self-cleaning Filter Guaranteed for 5 years

SICERT

Filth and dust / time

No additional cost for the replacement of filters and bags. Minimum maintainance time.

Model ST2-C has numerous accessories for make it even more functional

STUCCHI

KIT PC-I

The PC-I kit includes and useful multifunctional side with drawers, designed to be installed on our wheeled vacuum cleaners, models STI and ST2, is a fast solution created to make them even more versatile.



KIT PC-I BS

Useful functional side, to be equipped with accessory drawer.













