

STUCCHI

POWDERS EXHAUST SYSTEMS



EM

SELECTOR ON/OFF MANUAL SUCTION

N I CONTROLLED DRY AIR AND CONTROL PRESSURE GAUGE

N I AUTOMTIC AIR FOR TOOLS

N I AUTOMATIC 230V SOCKET FOR TOOLS


N I SUCTION NOZZLE

N I TRAP, MANUAL SUCTION CLOSING SYSTEM

N I DIRECT AIR

EM

MULTIFUNCTIONAL HEXAGON FO THE DISTRIBUTION OF ELECTRIC AND PNEUMATIC ENERGY AND VACUUM.



EM



THE HEXAGON-SHAPED SERVICE CONTROL UNIT IS THE IDEAL PRODUCT AS A TERMINAL OF THE ARTICULATED ARMS (1) BUT ALSO AS A PENDANT SATELLITE (2) AND FOR THE INSTALLATION IN WALL (3).



The EM model is suitable for a workstation, designed with a suction inlet in the lower part and with a manual device for the interception of the suction, air outlet and electrical socket dedicated for the connection to the Stucchi's vacuum-cleaning central unit and allow the automatic start of the machine. It will be possible to activate the suction also through the selector AUT/MAN (O/I) installed on the cover.

It's equipped with 2 supplementary outlets of compressed air, one adjustable, with a monitoring manometer, the other direct.