ALUMINIUM DENT PULLING MACHINE FY-65L



Pictures are for illustration purposes only - actual products may differ from images

PRODUCT SPECIFICATIONS

Input Voltage:	AC 220V 50/60Hz
Rated Power:	3KVA
Fuse:	4A
Insulation Grade:	н
Inverter:	IGBT
No-Load Voltage:	50 - 150V
Spottable Stud Diameter:	3 - 6mm
Duty Cycle:	80%
Welding Mode:	Dent Pulling
Weight:	12 / 20kg
Dimensions:	530 X 600 X 1640mm

Contact the Y.E.S. Sales office on +27 (0) 010 590 9444 for more information.

Darrel: 083 926 7101 | Rocco: 060 519 7735 | Raj: 065 829 1217 | Mace: 082 442 4202

As time goes on, more and more car panels are made of aluminium. With advanced welding power amd control technology, FY65L are specifically designed for aluminium panel repairs and are also suitable for use on other metals such as steel, copper and iron.

Features

- With leading international inverter technology.
 Microprocessor control system optimises the
 welding parameters. Due to the adoption of
 advanced digital control technology and user
 friendly design, all you have to do is select the
 welding current corresponding to the workpiece
 thickness to achieve the best weld quality.
- Complete with two and four kickstand crossbar lifters to accommodate any repair task for the whole aluminium car body.
- High precision power control system.
- Suitable for dent pulling of aluminium and different kinds of car steels.
- High welding strength without damage to the metallic coatings and paint surfaces on the back.
- Digital display, simple to operate and easy to use.
- Able to weld 3mm 8mm aluminium stud bolts, steel stud bolts and aluminium washers.
- Additional aluminium MIG welder is available as an option.



Y.E.S. - Your Equipment Supplier

Longlake Industrial, Warehouse Unit 157/2, 8 Ranworth Crescent, Erf 156, Longlake Ext 23, Modderfontein, 1645

Tel: +27 (0) 10 590 9444 Fax: +27 (0) 11 786 5996/7/8 Email: sales@yesrsa.co.za Website: www.yesrsa.co.za Reg. No. 97/10686/07





















