

CAR-O-LINER®



CDR1

**ALL-IN-ONE
COSMETIC DENT REPAIR WORKSTATION**

CDR1

THE ALL-IN-ONE SOLUTION FOR COSMETIC DAMAGE REPAIR

Designed for the repair of small to medium auto body damage the **CDR1 Cosmetic Dent Repair** workstation from Car-O-Liner® is a value-packed repair cart that allows you to quickly and efficiently provide professional repairs

of light cosmetic damage. These quick cosmetic collision repairs generate good margins, faster cycle times and a decreased need for investments in expensive, heavy equipment.

A COMPLETE WORKSTATION

CARBON FIBER PULL BARS

Lightweight for single tech ease of use and 3 times stronger than steel.

CR235 DUAL SPOTTER

One machine for both steel and aluminum auto body repair.

DEDICATED STORAGE DRAWERS

Tools are separated and organized keeping them ready for dedicated use and making them easy to locate.

SIDE-DENT REMOVAL TOOL

Gives the flexibility to repair full cab or bed scrapes/dents on trucks.

TOOLS FOR PULLING

To use, for example, with the draw aligner

HOLDER FOR WELDING GUNS

Keeps guns and cables organized.



MEETS OEM DEMANDS FOR SMART QUICK REPAIR SOLUTIONS.

**BECOME A FULL-SERVICE PROVIDER!
MAKE YOUR WORKSHOP KNOWN AS THE
COMPETENT SPECIALIST IN SMALL AND
MEDIUM COLLISION REPAIR**

INCREASE CYCLE TIMES AND PROFITS

With its small footprint the **CDR1** workstation is perfect for all workshops doing cosmetic repairs on aluminium and steel. The wide range of color-coded tools are neatly arranged in the workstation which can be rolled around the workshop as needed.

EXPAND YOUR SHOP'S OFFERING

Offer more solutions to your current customers and gain new ones by providing quick, efficient professional repair of minor collision damage. Your bottom line is sure to grow.

STORAGE DRAWERS

Keep organized. Five drawers with custom, padded inserts: steel, aluminium, glue, holder and push-pull kits.

CR235 COMBI SPOTTER

This uniquely designed combi spotter performs equally well pulling dents out of steel or aluminum body panels. It quickly attaches studs for dent pulling or grounding. The high-tech

discharge process creates the weld without damaging heat sensitive aluminum parts. Equipped with two dedicated guns, one for steel and one for aluminium.



FEATURES AND BENEFITS CR235

- **EFFICIENT** — Switch quickly between two dedicated guns, no need for extra equipment, the duo machine meets alu and steel welding needs
- **QUICK** — Disassembly of the panel is not required, reduce spare parts orders and save up to 40% on repair time
- **PRECISE** — Minimize welding and decrease the chance of altering panels through heat or burn-through and eliminate the risk for compromised corrosion protection

DESCRIPTION	ALUMINIUM	STEEL
Input voltage	230V, 50-60Hz 1-ph	
Power	16A	
Secondary no-load voltage		7V
Secondary short-circuit current		2.8 KA
Secondary welding current		2.5 KA
Rated power	4.8 KVA	16 KVA
Protection class	IP21	
Spot gun with power cable	Aluminium	Steel
Dimensions (LxWxH)	325 x 350 x 180 mm	
Weight	10 kg	

CHOOSE A VERSION TO MEET YOUR NEEDS!

BASIC

ART. N° 50522



ADVANCED

ART. N° 50709



MASTER

ART. N° 50710



CAR-O-LINER®

www.car-o-liner.com



Car-O-Liner® (2021) is a trademark of Snap-on® Incorporated. All rights reserved.

Product images are for illustrative purposes only and may differ from the actual product. Car-O-Liner® reserves the right to modify any content without prior notice.